

Table of Contents

Client Analysis



Starting in 1999, the founder and current Chief Medical Officer,
Dr.Jim Varell, provided the nation's first use of Telepsychiatry to
increase care access. Much has changed since 1999; Insight
Telepsychiatry and Regroup Telehealth to came together for one
of the nation's largest clinical organizations, which is now known
as Array Behavioral Care.




Telepsychiatry

"Wherever and Whenever You Need Care, We're there"

User Experience

User Journey




Key Experience Sketches

Receptionist / Consultant Think and feel? When Having a good attitude for can I go the people To always home? be Irritated sociable by rude clients the waiting by a busy day room Listening walking in People walking in and out of the door Other approaching receptionist the reception Phone talking to saying clients thank you Clients Patients complaining crying Doctors talking to Handle their Verbal patients Doctors incoming phone calls Direct clients Maintaining Greeting to the area they need to directories clients Say and do? Headaches from being on the computer all day The Ability to Helping eye strain from sitting at the desk all day Attention attitude of work under a desk to detail others pressure patients all day

Empathy Map

Patients




Empathy Map


Doctor Think and feel? May Depending on the patient's condition I sometimes if the issue have would assume the is un-fixable doctor would feel or advanced anxiety How could empathy towards them. What is they fix the patients problem? wrong with this patient? Other Patients patients waiting to complaints be helped. Patient and potential guardian. Listen to patients injury area concerns and or problem area. health related Hear what the patient Talk to or guardian assistants What has to say. or other doesn't employees. feel good? Ask themselves Have how they can fix this and make compassion for their the patient feel better. patients Say and do? Gain Feel good about helping the patient.


Empathy Map


Schematic Design


Adjacency

























Block Diagram







Block Diagram







Block Diagram







Finalized Block Diagram







Finalized Block Diagram







Loose Plan





Loose Plan






Concept


Ubiquitous

Present, Appearing, Or Found Everywhere


I hrough a variety of light and line, shadows are accentuated. Shadows are created by blocking light. The shadows form when an object is formed in the path of rays of light. A ubiquitous effect will be created for the entire environment.



Schematic Development



Third Floor



Fourth Floor

Final Furniture Plan



Final Furniture Plan THIRD FLOOR

Lobby D,E,F,G Restroom I,J,K \bot , \bigvee N Quiet room O,P,Q Director

Open Offices

Reception

Teletherapy Room

Mechanical Room


Small Conference

Mail/Copy/Supply

Clinical Relations

Clinical Accounts

Collaboration



Final Furniture Plan

FOURTH FLOOR

В

D,E

F

G,H,I

K,L,M,N,O,P

Q

R

S

Medical Director

Director of HR

Chief Tech

IT

Service Room

Restroom

Quiet Space

Management

Chief Executive

Pantry Area

Conference

Concept Application

Concept Application





In each space, they are in a path of rays of light; you will see a variety of bright colors, light orange, and green. In these images being displayed, you see that. While having those colors, you also see a great amount of natural light displayed; many shadows are present in these spaces





Plan Analysis

Collaboratio Room

Choice/Personalization
This room allows for users to have the ability to either sit or stand

RECEPTION Wayfinding A well-structured path is created for when people enter the Array office

Open Offices

Healthy Work Environment
Our workspaces can
influence our overall
physical health; therefore,
the open offices are
designed to enhance the
staff work ethic

Noise

Conference Room

The wall of the conference room is made out of laminated glass; therefore, no one can hear or out, so this will reduce the distraction of another workers

Room

Human Factors/Ergonomics

This space allows fo interaction betweer the users

Overall Space

Sensory Change/ Variability
The Flooring changes allow for users to feel something different

Pantry Area

Natural Ligh

The amount of natural light coming in will improve the health and wellness of the workers


Quiet Rooms

Considerations for technology/Virtual Environment

Patio

Access to Nature
This allows users to have the
ability go outside

Materials and Finishes








Clearing Tile




Broadloom



Broadloom

Each of these materials has reflected my concept by going well with the reflection light gives off of it, creating a shadow



Velvet



Upholstery




Metal Panel



Terrazzo

Furniture




Open 05



Modular 11



Collaborative Ottoman




Navigate HAB 07

Designing this space, I was inspired by the amount of light being displayed and how to open the space look; Therefore, the chosen furniture pieces allow for a collaborative space

Perspectives


Reception Area







Healthy Work Environment

Our workspaces can influence our overall physical health; therefore, the open offices are designed to enhance the staff work ethic










Spec Sheets

Dimensions

For Conversion to Metric, multiply dimension by 25.4.

WEI	GHT
Small	11 - 16 lbs
Medium	18 - 24 lbs



COM/COL Material Requirement

More yardage may be required depending upon the upholstery pattern, repeat, directionality and pattern matching. Leather yield varies from 60-80% and may be affected by the quality of the COL including location and quantity of blemishes, size and shape of hide. The size of the sewing pattern and the number of units ordered may also impact yield. Always round-up to the next hide.

	SINGLE UPHOLSTERED		DUAL U	DUAL UPHOLSTERED			
			Base	Top	Base	Top	
	COM [yards]	COL [sq. ft]	COM [yards]	COM [yards]	COL [sq. ft]	COL [sq. ft]	
Round Ottoman, Small, Teknion dna Height	1	12.25	1	0.7	9.25	3.25	
Round Ottoman, Medium, Teknion dna Height	1.75	16	1.0	0.75	11	5.25	
Round Ottoman, Small, Lounge Height	1.25	14	1.13	0.7	11	3.25	
Round Ottoman, Medium, Lounge Height	1.75	18.5	1.13	0.75	13.5	5.25	
Square Ottoman, Small, Teknion dna Height	1.5	14	1	0.7	11	3.25	
Square Ottoman, Small, Lounge Height	1.75	15.5	1.13	0.7	12.75	3.25	
Square Ottoman, Medium, Lounge Height	2	19	1.13	0.75	14	5.25	

432 seating price & application guide – January 25, 2021

soft seating

Xpress NCOR

Fully upholstered, fixed height, casual seating solution to be used alone or in groups

- · Optional Small (18") and Medium (24") diameter seat size
- Optional Teknion dna appropriate seat height (16") as well as a typical Lounge height (18 1/2")
- · Hard casters are standard and finished in Ebony. Soft casters and glides also available

Dual Upholstered option allows an upholstery finish on the top surface to differ from the body (sides).

When Top Upholstery style is specified in Leather or Vinyl and Medium seat diameter is specified, top surface is divided into quadrants and top stitched.

Not all configurations are available on the Xpress program.



Collaborative Ottoman - Round

PRODUCT OPTIONS

Seat Diameter	Seat Height	Upholstery Style	Base Upholstery Style	Top Upholstery Style	Casters/Glides
S Small 18" M Medium 24"	D Teknion dna Height 16" L Lounge Height 18.5"	S Single D Dual	Fabric Leather	Fabric Leather	A Casters, Soft B Glides, Hard C Glides, Soft

SAMPLE ORDER CODE

NCOR S D D E523 E524	В
----------------------	---

DESCRIPTION

SINGLE UPHOLSTERED (S)

Medium Round Ottoman Lounge Height
Small Round Ottoman Teknion dna Height
Small Round Ottoman Lounge Height
Medium Round Ottoman Teknion dna Heigh
Medium Round Ottoman Lounge Height

na Height	1002
eight	1028
style add 122	

PRICE

Grade 1	COM/ Grade 2	COL/ Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 1
591	615	638	664	688	712	736	761	784	833
615	638	664	688	712	736	761	784	808	859
761	784	808	833	859	880	905	931	956	1002
784	808	833	859	880	905	931	956	977	1028

Leather LA	Leather LB	Leather LC	Leather LD
833	895	1022	1063
859	956	1099	1148
1002	1140	1306	1362
1028	1216	1409	1474

If Dual Upholstery (D) is specified, for top

If Soft Casters are specified add 21

If Hard Glides are specified add 21


If Soft Glides are specified add 33

ORDERING INFORMATION

700	SYSTEM	SYRP	COLOR	LAMP
	TD LINE-VOLTAGE PENDANTS/SUSPENSION		B MATTE BLACK	-LED930 LED 90 CRI 3000K 120V
			G SATIN GOLD	

SPECIFICATIONS

HARDWARE MATERIAL	Metal
SHADE MATERIAL	Metal
NET WEIGHT	19 lbs
HEIGHT	19.1in
WIDTH	21.5in
LENGTH	21.5in
UP LIGHT / DOWN LIGHT / BOTH?	
WET LISTED	
DAMP LISTED	Yes
DRY LISTED	
MIN. HANGING HEIGHT	25.1in
MAX HANGING HEIGHT	163.1in
TOTAL CORD LENGTH	144in
TOTAL STEM LENGTH	
STEM QTY	
SLOPED CEILING ADAPTABLE?	Yes 45° Max
GENERAL LISTING	ETL Listed
INCLUDES	



LAMPING SPECIFICATIONS

	LED LAMP	INTEGRATED LED	NON LED	NO LAMP
DELIVERED LUMENS		461.3		
WATTS		17.4		
MAX WATTAGE PER BULB		17.4W		
INPUT VOLTAGE		120V		
DIMMING TYPE*		0-10, ELV, TRIAC		
ССТ		3000K		
CRI		90 CRI		
LED LIFETIME				
L70		>50000		
AVERAGE BULB HOURS				
FIELD SERVICEABLE LED				
LAMP BASE		Integrated LED		
LAMP SH&PF		Integrated LED		
LAMP SHAPE		Integrated LED		
LAMP INCLUDED?		Υ		
WARRANTY**		5 Years		

* Dimming information available at www.techlighting.com/Downloads#dimming ** Visit techlighting.com for specific warranty limitations and details.

T20 / T24 INFORMATION

	Integrated LED	Replacement LED Lamp	No Lamp *
This product can be used to comply with California Building Energy Efficiency Standards 2016 Title 24 Part 6.	No		
This product can be used to comply with California Appliance Efficiency Standards 2016 Title 20 and may be shipped to and sold in California.	N/A		

* If a light fixture or component does not include a lamp or light source, it is the responsibility of the customer to select a lamp that meets the T24 and T20 requirements.

700	SYRP	
JOB NAME		
NOTES		
(Ti)	© 2019 Tech Lighting, L.L.C. All rights reserved. The "Tech Lighting" graphic is a registered trademark of Tech Lighting, L.L.C.	7400 Linder Avenue, Skokie, IL 60077



LINE-VOLTAGE PENDANTS/SUSPENSION

Alva Pendant (1111)


DESCRIPTION
The classic Edison-style squirrel cage lamp is reincarnated here as a modern socket and cord-style LED pendant light. The Alva pendant light from Tech Lighting features a powerful downward-firing LED that is smartly hidden within the "socket" then combined with a solid "bulb" of pure optic crystal. Intricately detailed "filaments" are laser-etched into the crystal for a visually intriguing light fixture. Includes 9 watt, 135 delivered lumen, 3000K, 2200K or Warm Color Dimming 3000K-2200K LED module. Dimmable with low-voltage electronic dimmer. Fixture provided with 12 feet of field-cuttable cloth cord.

INSTALLATION

This product can mount to either a 4" square electrical box with round plaster ring or an octagon electrical box.

WEIGHT

3.66lb / 1.66kg ±

















black cord black cord

blue cord

black finish satin nickel finish blue cord


ORDERING INFORMATION

700	SYSTEM ALVPMC	SHAPE OR SIZE	COLOR	FINISH	LAMP
	TD LINE-VOLTAGE PENDANTS/SUSPENSION	11 11-UTE CHANDELIER 1-UTE 3 3-UTE CHANDELIER 7 7-UTE CHANDELIER	B BLACK I BLACKWHITE U BLUE P COPPER Y GRAY O ORANGE R RED WWHITE	R AGED BRASS B BLACK S SATIN NICKEL	LED 90 CRI 2200K 120V (T24) LED 90 CRI 3000K 120V (T24) LED 90 LED 90 CRI WARM COLOR DIMMING 3000-2200K 120V LE DWD (T24)



T 847.410.4400 7400 Linder Avenue Skokie, Illinois 60077 F 847.410.4500

Tech Lighting, L.L.C.



©2018 Tech Lighting, L.L.C. All Rights Reserved. The "Tech Lighting" graphic is a registered trademark of Tech Lighting, L.L.C. Tech Lighting reserves the right to change specifications for product improvements without notification.

ShawContract®

Archway

Broadloom Product Type 5A270 Style Number Pattern Cut Construction

Fiber Eco Solution Q® Nylon 100% Solution Dyed Dye Method

Primary Backing Synthetic Secondary Backing Ultraloc®

Protective Treatments SSP® Shaw Soil Protection

u.s. metric Product Size 12 ft 3.66 m

Gauge 1/11 in 43.3 per 10 cm 11.0 per in 43.0 per 10 cm Stitches Finished Pile Thickness 0.301 in 7.65 mm

Average Density


6100 oz/yd3

0.226 g/cm³ 11.22

0.450 in 11.43 mm Total Thickness Tufted Weight 51 oz/yd² 1729.2 g/m² Installation Pattern 72 in x 104.55 in 1.84m x 2.66 m

Repeat

Kilotex



Recommended Installation Method

Direct Glue, Double Glue, Stretch-In

Performance + Testing

Antimicrobial Assessment Passes (AATCC-174) (When installed using Shaw 1036 adhesive)

Pill Test Radiant Panel Class I Less Than 450 NBS Smoke Less Than 3.5 kv Electrostatic Propensity

CRI Green Label Plus (GLP)

ADA Compliance >0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes***

Warranties

Lifetime Commercial Limited Warranty

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbal +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Parts +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santlago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sychey +1

© 2021 Shaw Industries Group, Inc., a Berkshire Hathaway Company

ShawContract®

Archway

Attributes + Certifications

Cradle to Cradle Certified™ Health Product Declaration (HPD)

Environmental Product Declaration (EPD)

CRI Green Label Plus (GLP)

CE Marking (EN 14041)

Environmental Guarantee*

Total Recycled Content

Product Packaging

Country of Origin**

Silver Level (Version 3.1)

Per GHS SDS Disclosure

3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804

GLP2271

3rd Party Certified

Pickup & Delivery Available in Americas

15% (Pre-Consumer 15% | Post-Consumer 0%)

100% Recyclable

USA

LEED Contribution Credit

MR Credit: Building Product Disclosure and Optimization

Environmental Product Declarations - Option 1: Environmental Product

Declaration (EPD)

MR Credit: Building Product Disclosure and Optimization Material Ingredients - Option 2: Material Ingredient Optimization 3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804

C2C Silver Level (Version 3.1)

Additional Information

* To learn more about the recyclability of our products and our Environmental Guarantee, please visit shawcontract.com/sustainability.

Installation Guidelines

Maintenance Guidelines

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit shawcontract.com/testing for more information.















Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbal +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shenghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +1

© 2021 Shaw Industries Group, Inc., a Berkshire Hathaway Company

^{**}Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or

^{***}This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

Clearing Tile

Product Type Carpet Tile
Collection Shifting Fields

Style Number 5T381

Construction

Multi-Level Pattern Loop

Fiber

Eco Solution Q® Nylon

Dye Method

100% Solution Dyed

Primary Backing
Secondary Backing
Secondary Backing
Synthetic
Ecoworx® Tile

Protective Treatments SSP® Shaw Soil Protection

u.s.

Product Size 9 in x 36 in 22.9 cm x 91.4 cm

metric

Area per Carton 45 ft² 4.18 m²

Pieces per Carton 20 pcs

 Gauge
 1/12 in
 47.2 per 10 cm

 Stitches
 9.0 per in
 36.5 per 10 cm

Finished Pile Thickness 0.094 in 2.39 mm


Average Density 7660 oz/yd³ 0.283 g/cm³

Total Thickness 0.245 in 6.22 mm

Tufted Weight 20 oz/yd² 678.1 g/m²



Recommended Installation Method





Stagger

Coordinating Products

Carpet Tile: Enclave Tile, Landing Tile, Plains Tile, Landing Edge Tile, Vista Tile

Performance + Testing

Antimicrobial Assessment Passes (AATCC-174) (When installed using Shaw 5036 adhesive)

Pill Test

Radiant Panel

Class I

NBS Smoke Less Than 450
Electrostatic Propensity Less Than 3.5 kv

CRI Green Label Plus (GLP) GLP9968

ADA Compliance >0.6, meets the recommended static coefficient of friction

for ADA walking surfaces and accessible routes***

Overall Flooring

ShawContract®

Eon

Collection Eon + Amalgam

Style Number 4112V

Heavy Commercial Luxury Vinyl Tile Construction

Class III, Type B Class / ASTM F1700

Finish ExoGuard™

> U.S. Metric

Nominal Dimensions 20 in w x 20 in I 51 cm w x 51 cm l

Actual Dimensions 50.03 cm w x 50.03 cm l 19.7 in w x 19.696 in I

Wear Layer Thickness 22mil(0.022 in) 0.56

Overall Thickness 0.197 in 5 mm

Edge Profile Squared Edge

Direct Glue, Floating Or Perimeter Glue Installation

Recommended 4100, 4151 or S150-95 Adhesive


Packaging

Pieces per Carton 10 pcs

Area per Carton 26.91 sq ft 2.5 sq m Weight per Carton 45.856 lbs 20.8 kg



Recommended Installation Method









Ashlar

Quarter Turn Monolithic

Coordinating Products

LVT: Amalgam

Performance + Testing

Static Load (ASTM F970)

Resistance to Heat (ASTM F1514) Passes Resistance to Light (ASTM F1515) Passes Resistance to Chemicals (ASTM F925)

Smoke Density (ASTM E662, Flaming Mode) Passes

Radiant Panel (ASTM E648)

Coefficient of Friction (ASTM D2047, Slip Resistance)

Passes (Modified), *1000 PSI

Passes

*This test is intended to compare relative properties of different styles and constructions. Results are based on a laboratory test and used for comparative purposes - real life load limit may vary.

Passes, Class I

>0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beiling +86 10 6568 588 | Chicago +1 312 467 1331 | Dubal +971 4 584 6956 | Hong Kong +852 2623 0371 | Letth America (Miam) +1 305 827 5912 | London +44 207 961 4120 | Loe Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbel +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghal +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +1 800 556 302

© 2021 Shaw Industries Group, Inc., a Berkshire Hathaway Company 1 of 2

ShawContract®

Eon

Warranties

FloorScore®

Country of Origin

15 Year Commercial Limited Warranty

Commercial Limited Underbed Bond Shaw 4100, S150 Or Shaw 4151

Product Transparency

Shaw Contract is dedicated to providing clients with a building chemistry that's safe and dependable. Working together, we will help you meet your goals as they pertain to material health. Luxury Vinyl Tile products are UL Certified with an Industry-Wide EPD and are assessed for impacts on human health and the environment.

Attributes + Certifications

Environmental Product Declaration (EPD)

3rd Party Certified in Accordance with ISO 14025, EN 15804, & ISO 21930:2017

Total Recycled Content 0% (Pre-Consumer 0% | Post-Consumer 0%)

Korea, Republic of

LEED Contribution Credit

MR Credit: Building Product Disclosure and Optimization

Environmental Product Declarations - Option 1: Environmental Product Declaration

EQ Credit: Low Emitting Materials Option 1: Product Category Calculations

Installation Guidelines Maintenance Guidelines RFCi Industry Average EPD (50%)

FloorScore Certified

Please visit www.shawcontract.com for the most current warranty information. Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit shawcontract.com/testing for more information.









Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chloago +1 312 467 1331 | Dubal +971 4 584 6866 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Loe Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Meoloo City +55 5010 7600 | Mumbel +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 963 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghel +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +1

 2021 Shaw Industries Group, Inc., a Berkshire Hathaway Company March 7, 2021



OVERVIEW

upStage™ is a new design concept that elevates the lexicon of modern

Just as mid-century modern design transformed 20th century interiors, upStage brings a new topography to today's office.

FEATURES

Based on a simple platform or "stage," upStage frees users from the office furniture. upStage changes the way we create the spaces we work in. constraints of a benching frame or panel, allowing you to build along a horizontal or vertical plane to create layered worksurfaces and multi-story volumes. upStage is real furniture that can be mixed, stacked and moved

> upStage offers a fresh, new-century look, feel and functionality – a new and more engaging office experience. upStage sets the stage for creativity, innovation and transformation.

RESOURCES



upStage Product <u>↓</u> Map








upStage Pricing &









TEKNION PRODUCTS PLANNING SPECIFYING RESOURCES ABOUT SHOP Q



OVERVIEW

POD (Privacy on Demand) is a family of products that are designed for occasional, short-duration privacy from the open plan. It supports technology and helps shape an environment where people want to work and where they feel comfortable and connected.

POD's freestanding design enables relocation and independence from building architecture, meeting company needs as they evolve.

FEATURES

Consisting of Tek Booth and Tek Room, both solutions work together to create a diverse range of small-scale private environments. POD is backed by Teknion's impressive finish program to allow endless color palette combinations that suit any environmental aesthetic.

CONFIGURE TEK BOOTH

RESOURCES



Guide



POD Technical Data Sheet



POD Image Gallery 🖆



POD Revi







Open 05

PRODUCTS » DETAILS

INTERPRET



OVERVIEW

Interpret™ is a contemporary desking system that works for virtually any person, any task, anywhere in the world. Based on a core platform frame and concise set of reconfigurable components, Interpret allows you to make the office your own.

Adaptable and scalable, the innovative core structure can easily be installed, built upon, extended or fully reconfigured to adapt to new demands, changing demographics, advances in technology and evolving work patterns.

FEATURES

Interpret Pricing &

Specification

ty PM

Interpret allows for the differences among workers and organizations including their readiness to embrace the benching concept - by introducing new planning concepts and capabilities.

Interpret offers significant advantages for a workplace that must mirror regional norms and allow for personal expression; that speaks to varied needs across the office landscape and the cultural map. These needs encompass planning and specification, manufacture and delivery and finally, the direct user experience.

RESOURCES



Interpret
Application Guide









Interpret Product





Interpret


Interpret Brochure 🕹



PLANNING SCENARIOS

Visit Planning Tool





upStage 03

ZONES



OVERVIEW

FEATURES

ZONES COLLECTION

OVERVIEW

FEATURES

ZONES COLLECTION

Zones is a comprehensive series of furniture products that transforms the office, challenging convention and changing the way people experience work. It comprises seating, tables, screens, easels and accessories, as well as semi-private enclosures which can act either as an intimate collaborative setting or as a place of retreat when privacy is desired. Zones' breadth of offering across multiple workplace categories with a consistent design language makes it unique.

Influenced and inspired by the untethered, modern worker who seeks movement, flexibility and convenience, Zones transitions the workplace from one that's fixed and formal to a space that suits a variety of preferences and working habits. Components can be combined in limitless ways to create flexible, fluid work areas that exist "in between" less adaptable areas like private offices, conference rooms and high-density workstations.

Wood is used as a modern engineering material ensuring strength, flexibility, sustainability, beauty, craft and humanity. The combination of wood with other materials, and Zones' harmonious, soft design, emphasize the domesticity and materiality of the collection.

Zones addresses the needs for focus, collaborative and workshop areas within the office environment. Designed by PearsonLloyd in conjunction with Teknion, the Zones collection won several 2016 Best of NeoCon awards, including Best of Competition and a Gold. Zones Benches won Gold and Zones Tables earned Silver in the Best of NeoCon competition.

SHOP ZONES TABLES ONLINE

SHOP ZONES CHAIRS ONLINE

RESOURCES



Zorios Diocriare



Zones Modular Seating Brochure



Zones Pricing & Specification Module



Product Map Zones ...

+ SELL SHEETS (11)

+ IMAGE GALLERIES (8)